

Product Catalogue

# BENISON FARM VET (P) LTD.

*We care for your poultry farming....*

Indore, M.P, India

PH: +91- 9685958236



# B-PROMIN

बी-प्रोमिन

A Unique Combinations of Aminoacids,  
Protected minerals & Vitamins

## COMPOSITION:

Each 500 ml contains

Methionine Activity in Methionine Hydroxy Analogue free acid)	.....127.6 gm
Choline Chloride	.....63.125gm
Lysine Hydrochloride	.....63.125gm
Sodium	.....459.00 mg
Phosphorous	.....154.16mg
Magnesium	.....595.4mg
Zinc	.....215.7 mg
Ferrous (Iron)	.....223.4mg
Copper	.....158.8mg
Cobalt	.....206.25mg
Manganese	.....384.55 mg
B6	.....100mg
B12	.....500mcg
Folic Acid	.....33mg
Lysine	.....7.3 %
Methionine	.....3.5 %
Arginine	.....4.3 %
Histidine	.....3.1 %
Tyrosine	.....2.8 %
Cystine	.....0.4 %
Tryptophan	.....1.4 %
Phenylalanine	.....5.5 %
Threonine	.....3.9 %
Leucine	.....9.1 %
Isoleucine	.....8.1 %
Valine	.....7.1 %
Glycine	.....2.8 %

## INDICATIONS :

- ▲ Increases egg production in layers/Breeders
- ▲ Improves FCR in boilers
- ▲ Acts as immuno-stimulant
- ▲ Reduces misshapen eggs during early lay and peak periods.
- ▲ Enhances recovery after an outbreak of disease.
- ▲ Supplements mineral and vitamin deficiency.

## DOSAGES :

For 100 birds daily for 5 days to be repeated after 10 days.

Broilers	..... 5 - 10ml
Breeders	.....15 - 30ml
Layer Chicks	..... 5 - 10 ml
Grower and Layer	.... 10 - 15 ml

Or as directed by Veterinarian.

**PRESENTATION :** 500 ML, 1 Litre, 5 Litres



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# B-COF

बी-काँफ़

## ORAL COUGH SOLUTION

### COMPOSITION:

Each ML contains

Chlorpheniramine Maleate ..... 40 mg

Bromhexine HCL ..... 750 mg

Ammonium Chloride ..... 1 gm

Sodium Citrate ..... 800 mg

Menthol ..... 5 mg

Paracetamol ..... 500 mg

Excipient ..... Q.S

### DOSAGES :

10 ml / 100 birds every 8-10 hours in drinking

water. OR As directed by Veterinarian.

### INDICATIONS :

- ▲ Help to recover respiratory disorders.
- ▲ Relaxes & dilates the Bronchial passage.
- ▲ Decreases pulmonary congestion and swelling.

### PRESENTATION :

500 ML, 1 Litre & 5 Litres



Poultry Feed Supplement. Not for medicinal Use



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# NEPHROTOX

नेफरोटोक्स

A Unique Kidney Flusher & Nephritis Therapy

## COMPOSITION:

Nephromodulators, Sodium Fluoride, Butyric Acid with Amino Nitrogen in a fortified base.

## DOSAGES :

1 ml/ litre of drinking water

OR As recommended by Veterinarian.

## INDICATIONS :

- ▲ To improve and stimulate renal functioning.
- ▲ In the management of Gout, HPS and Ascities.
- ▲ Reduces risk of kidney stones.
- ▲ Improves FCR and reduces mortality.

## PRESENTATION :

**1 Litre & 5 Litres**



Poultry Feed Supplement. Not for medicinal Use

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# BENISON A FORTÉ

बेनिसन ए फोर्टे

WATER MISCIBLE VITAMIN A

## COMPOSITION:

Each ml contains :

Vitamin A ..... 1,00,000 I.U

## DOSAGES :

In Chicks ..... 5 ml / 100 Birds

In Growers ..... 7ml / 100 Birds

In Layers ..... 7ml / 100 Birds

In Broilers ..... 5 - 7 ml / 100 Birds

Or As directed by Veterinarian.

## INDICATIONS :

- ▲ For Supportive treatment in infections like C.R.D, Coryza, Coccidiosis etc.
- ▲ Building Resistance against Infections.
- ▲ Enhancing Egg Production.
- ▲ For Better Hatchability & Fertility.
- ▲ Enhances healthy skin and good feathering.
- ▲ Profound disorders related to reproductive, digestive, respiratory system.

## PRESENTATION :

500 ML, 1 Litre & 5 Litres



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# BENISON AD3 EC

## बेनिसन AD3 EC

WITH AMINO ACIDS  
AN IDEAL FEED SUPPLEMENT FOR POULTRY

### COMPOSITION:

Each 5 ml. Contains:

Vitamin A .....	2,50,000 I.U.
Vitamin D <sub>3</sub> .....	25,000 I.U.
Vitamin E .....	250 mg.
Vitamin C.....	500 mg.
L-Lysine .....	5 mg.
Methionine.....	5 m

### INDICATIONS :

- Increase in weight gain
- Building resistance against infections.
- Overcoming stress
- Enhancing Egg Production.



### DOSAGES :

For 100 birds:

Chicks	2 ml.
Growers	3 ml.
Layers / Broilers	5 ml.

or as directed by the Veterinarian

### PRESENTATION :

**500 ML, 1 Litre & 5 Litres**



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# CALCITONE-B

## कैल्सीटोन-बी

With Calcium and Phosphorous

### COMPOSITION:

Each ML has nutritional value of

Calcium .....	20 mg
Phosphorous .....	10 mg
Vitamin D3 .....	80 IU
Vitamin B12 .....	1 mcg
Aqueous Base .....	Q.S

### INDICATIONS :

**CALCITONE-B** helps to lower the percentage of microcracks or breakage and aid in faster development of the skeletal system.

- ▲ Improve or maintain the quality of eggs.
- ▲ Lower the percentage of microcracks or breakage
- ▲ For further development of the skeletal system.
- ▲ Helps to reduce lameness.
- ▲ Prevent quick response to a mineral deficiency.

### DOSAGES :

Chicks : 10 ml / 100 birds  
Layers : 15 - 20 ml / 100 birds  
Broilers : 20 ml / 100 birds  
OR As advised by the Veterinarian.

### PRESENTATION :

**500 ML, 1 Litre & 5 Litres**



Mfg. By & Mkt. By:  
**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



Benison

# ERYTHROMYCIN 10%

एरिथ्रोमाइसिन 10%

Erythromycin Thiocynate 10% Water Soluble Powder

## COMPOSITION:

Each gram contains  
Erythromycin Thiocynate  
(B.Vet.C) equivalent to  
Erythromycin Base ..... 100 mg  
Vitamin B6 ..... 5 mg  
Excipients ..... Q.S

## INDICATIONS :

Effective against respiratory problems  
and all types of stress conditions.

## DOSAGES :

### Preventive:

1 gm/ 2 Litre of water for 3-5 days.  
500 gm - 1 kg/ton of feed for 3-5 days

### Curative:

2 gms/ 2 Litre of water for 3-5 days.  
500 gm - 1 kg/ton of feed for 3-5 days.  
OR As directed by Veterinarian.

## PRESENTATION :

**50 GMS, 250 GMS & 1 KG**



Poultry Feed Supplement. Not for medicinal Use

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# BENIFLOX-P

बेनिफ्लोक्स-पी

Enrofloxacin with Pefloxacin Oral Solution

## COMPOSITION:

Each ml contains

Enrofloxacin ..... 100 mg

Pefloxacin ..... 50 mg

Vitamin B6 ..... 5 mg

## INDICATIONS :

- ▲ Broad Spectrum bacterial infections.
- ▲ Respiratory Tract Infections

## DOSAGES :

### Preventive:

1 ml in 4 litre of drinking water.

### Curative:

1 ml in 2 litre of drinking water.

OR As directed by Veterinarian.

## PRESENTATION :

500 ML, 1 Litre & 5 Litres



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



**BFVPL**



# BENIFLOX-BH

बेनिफ्लोक्स-बीएच

Enrofloxacin  
20 % with  
Bromhexine

## COMPOSITION:

Each ml contains  
Enrofloxacin ..... 200 mg  
Bromhexine HCL ...15 mg  
Vitamin H .....0.5 mg

## INDICATIONS :

For the control and treatment of severe respiratory infections of poultry caused by bacterial including :

- ▲ Mycoplasmosis
- ▲ Infectious Coryza
- ▲ Salmonellosis
- ▲ Fowl Cholera

## DOSAGES :

1 ML of BENIFLOX-BH solution to be administered for a total body weight of 20.5 kgs.

To be administered continuously for a period of 3-5 days once daily in drinking water depending upon these variety of infections

Or as recommended by the veterinarian.

## PRESENTATION :

250 MI, 500 ML & 1 Litre

Antibacterial & Mucolytic



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# TAXEM-DS

टैक्सम-डीएस

Water Soluble Triple Action Novel Antibiotic for  
Prevention & Treatment of Infection caused by gram +ve  
& -ve organisms.

## COMPOSITION:

Each gram contains:

Cefixime ..... 100 mg

Sparfloxine ..... 50 mg

Vitamin B12 ..... 100 mcg

## INDICATIONS :

Control and treatment of E.coli, Coryza,  
Salmonellosis, CRD, Fowl Cholera,  
Colibacillosis etc.

## DOSAGES :

**Preventive:**

1 gm/2 litre of drinking water for 3-5 days.

**Curative:**

2 gm/litre of drinking water for 3-5 days.

OR As directed by Veterinarian.

## PRESENTATION :

**250 Gms**



Poultry Feed Supplement. Not for medicinal Use

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# B-OXYCARE 20%

बी-ऑक्सीकेयर 20%

OXYTETRACYCLINE HCl  
WATER SOLUBLE POWDER

## COMPOSITION:

Each gm contains

Oxytetracycline (HCL form) .... 200 mg

Vitamin B1 ..... 10 mg

## DOSAGES :

1 gm of B-OXYCARE to be added in 2-4  
litres of drinking water.  
OR As directed by Veterinarian.

## INDICATIONS :

Preventive & curative treatment of respiratory & digestive  
system diseases caused by or associated with organisms  
sensitive to oxytetracycline.

## WITHDRAWAL PERIOD :

Meat : 7 days

Egg : Nil

## PRESENTATION :

**100 GMS & 250 Gms**



Poultry Feed Supplement. Not for medicinal Use

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# B-TETRACARE 5%

बी-टेट्राकेयर 5%

OXYTETRACYCLINE HCl  
FEED GRADE POWDER

## COMPOSITION:

Each gm contains

Oxytetracycline (HCL form) ..... 50 mg

Vitamin B1 ..... 10 mg

## DOSAGES :

**Chicks, Layers, Growers, Broilers:**

500 GM to 1 KG of B-TETRACARE to be

added in a ton of feed.

OR As directed by Veterinarian.

## INDICATIONS :

Preventive & curative treatment of respiratory & digestive system diseases caused by or associated with organisms sensitive to oxytetracycline.

## WITHDRAWAL PERIOD :

Meat : 7 days

Egg : Nil

## PRESENTATION :

**1 KG**



Poultry Feed Supplement. Not for medicinal Use

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# BENICHLORE CTC 15%

बेनीक्लोर सीटीसी 15%

## GRANULATED PREMIX

### COMPOSITION:

Each kg contains

CHLORETETRACYCLINE HCL ..150 gms

Vitamin B6 ..... 5 gms

### DOSAGES :

Regular Feed : 335 gms / Ton of feed


OR As directed by Veterinarian.

### INDICATIONS :

- ▲ Granulation ensures that the medicine is evenly distributed throughout the premix & finally in the feed.
- ▲ Granulation increases the stability of feed at normal room temperature , both in mash and pellets.
- ▲ Free Flowing characteristics make it homogeneous and prevents dusting and caking problem.
- ▲ Fast absorption and quick results and longer stay at the site of infection
- ▲ Improves growth & increase profits.
- ▲ Growth promotion , prevention of stress, improvement in performance - Egg production & weight gain and general health improvement.

### PRESENTATION :

**1 KG & 25 KG**



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# BENICOOL

बेनिकूल

Revolutionary Breakthrough in Heat Stress Control

## COMPOSITION:

Each kg contains:

Glucose .....	759 gms.
Sodium Chloride .....	74 gms.
Sodium Citrate .....	103 gms.
Potassium Chloride .....	52 gms.
Vitamin C.....	12 gms.

## INDICATIONS :

- ▲ Heat Stress
- ▲ Dietary Stress
- ▲ Disease Stress
- ▲ Social Stress
- ▲ Mechanical Stress
- ▲ Managemental Stress

## DOSAGES :

10 gms/100 chicks or 25gms/100 birds to be dissolved in drinking water.

Double the dosages in acute conditions i.e. 250 gms to be added in 50 Litres of drinking water.

Dose can also be doubled in severe stress condition.

## PRESENTATION :

1 KG



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# BENIZOLE-TRIM<sup>+</sup>

बेनिज़ोल-ट्रिम प्लस

Water Soluble Powder

## COMPOSITION:

Trimethoprim .....	5%
Sulphamethoxazole ...	25%
Vitamin B12 .....	0.5%

## DOSAGES :

- ▲ BENIZOLE TRIM PLUS is effective in most of the bacterial infections in poultry.
- ▲ Early Chick Mortality, Enteritis, Chronic Respiratory disease due to E.Coli with Coccidiosis.
- ▲ For the control and treatment of Fowl Cholera, Fowl Typhoid, Coli Septicaemia and Coryza.

## INDICATIONS :

**CHICKS:** 0.5 gm/litre of drinking water for 3-5 days.

**LARGE & SMALL ANIMALS:** 2 gm/10 kg B.Wt for 3-5 days.

(Fresh solution should be made everyday. Only medicated water should be allowed throughout the day during course of treatment)

OR As directed by veterinarian.

## PRESENTATION :

**100 GM & 1 KG**



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# B-PLEX GOLD

बी-प्लेक्स गोल्ड

Liquid Nutritional Supplement for Poultry

## COMPOSITION:

Each 5 ml contains:

Vitamin B2 .....	2.5 mg
D-Panthenol .....	1.30 mg
Vitamin B12 .....	12.5 mg
Nicotinamide .....	37.5 mg
Choline Chloride .....	20 mg
Lysine Monohydrochloride .....	10 mg

## DOSAGES :

15 - 20 ml of B-PLEX GOLD to be given to 100 birds daily in drinking water  
OR As directed by Veterinarian.

## INDICATIONS :

- ▲ For better growth and productivity
- ▲ For better FCR
- ▲ For better egg production and improved hatchability.

## PRESENTATION :

1 Litre & 5 Litres



Poultry Feed Supplement. Not for medicinal Use

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# BENIZOLE-TRIM

बेनिज़ोल-ट्रिम

Water Soluble Powder

## COMPOSITION:

Trimethoprim .....	2%
Sulphamethoxazole ...	10%
Vitamin B12 .....	0.5%

## DOSAGES :

- ▲ BENIZOLE TRIM is effective in most of the bacterial infections in poultry.
- ▲ Early Chick Mortality, Enteritis, Chronic Respiratory disease due to E.Coli with Coccidiosis.
- ▲ For the control and treatment of Fowl Cholera, Fowl Typhoid, Coli Septicaemia and Coryza.

## INDICATIONS :

**CHICKS:** 0.5 gm/litre of drinking water for 3-5 days.

**LARGE & SMALL ANIMALS:** 2 gm/10 kg B.Wt for 3-5 days.

(Fresh solution should be made everyday. Only medicated water should be allowed throughout the day during course of treatment)

OR As directed by veterinarian.

## PRESENTATION :

**100 GM & 1 KG**



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



# B-PLEX

बी-प्लेक्स

IDEAL NUTRITIONAL FEED SUPPLEMENT  
WATER SOLUBLE POWDER

## COMPOSITION:

Each gram has nutritional value of

Vitamin B <sub>2</sub> .....	12.50 mg
Vitamin B <sub>6</sub> .....	6.20 mg
Vitamin B <sub>12</sub> .....	63.00 mg
Niacin .....	375 mg
Calcium D-Panthenate .....	29.00 mg
DL-Methionine .....	50 mg
Carbohydrate, Organic	
Nutritive base .....	Q.S

Appropriate overages added to compensate losses on storage

## INDICATIONS :

Ensure complete solubility of 100 gm B-PLEX powder in 4.9 Litres of drinking water to get reddish - orange colored solution and desired results.

## PRESENTATION :

**100 GMS**



## DOSAGES :

Daily as recommended by Veterinarian.

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# B-COX

बी-कॉक्स

FOR COMPLETE SOLUTION OF COCCIDIOSIS WITH  
EFFECTIVE ANTICOCCIDIAL AGENTS

## COMPOSITION:

Amprolium HCL .....	20%
Sulphaquinoxaline .....	20%
Ethopabate .....	1%
Pyrimethamine .....	1%
Vitamin K3 .....	1%

## INDICATIONS :

For the control of Coccidiosis.

## PRESENTATION :

100 GMS, 250 GMS & 500 GMS

## DOSAGES :

30 gm/50 Litres of drinking water for 7 days  
Or As directed by Veterinarian.



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# BOOSTER

बूस्टर

## VITAMIN BLEND PREMIX

### COMPOSITION:

Vitamin A	.....	2,90,00,000 IU
Vitamin D3	.....	80,00,000 IU
Vitamin E	.....	20,000 MG
Vitamin K3	.....	12,000 MG
Vitamin B1	.....	2,000 MG
Vitamin B2	.....	20,000 MG
Vitamin B6	.....	4,000 MG
Vitamin B3	.....	25,000 MG
Vitamin B7	.....	60 MG
Vitamin B12	.....	40 MG
Folic Acid B9	...	2,000 MG
Cad-Pantothenate B5...		16,000 MG
Vitamin C	.....	5,000 MG
CHOLINE Cl2	.....	1,50,000 MG
AntiOxidant	.....	2,000 MG
Anti Caking	.....	200 MG
Suitable Carrier	.....	QS

### INDICATIONS :

- ▲ Improves body FCR, EGG production, performance.
- ▲ Prevents destabilization and deficiency of vitamins.
- ▲ Manage and equilibrate the vitamins level during metabolic stress.
- ▲ Better bioavailability and long shelf life with proved stability.
- ▲ Boost immunity.

### DOSAGES :

Layer- 500 gm/ Ton of Feed  
Broiler- 750 gm/Ton of Feed  
Breeder- 1500gm/Ton of feed  
Or As directed by Veterinarian.

### PRESENTATION :

**25 KG**



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# VIRNEXT-B

वीरनेक्स्ट-बी

Virucidal, Bactericidal & Fungicidal  
Disinfectant & Water Sanitizer

## COMPOSITION:

Sodium Chloride ..... 1.5% W/W  
Salt containing Potassium  
Monopersulphate/ Potassium Hydrogen  
Sulphate/ Potassium Sulphate .... 49.8% W/W  
Buffer & Excipients ..... Q.S to 100%

## INDICATIONS :

- ▲ Avian Influenza
- ▲ NZ, IBD, EDS, IBH, IB, ILT, CAV & MD.
- ▲ Chicken Anemia
- ▲ Merek's Disease.
- ▲ Bacterial and fungal Diseases.

## DOSAGES :

### Spray :

Use 0.5% solution (5 gm/litre of water) of VIRNEXT-B. Spray in air twice daily. Increase dose & frequency during disease outbreak. 10 gm/litre as terminal decontamination.

### Drinking water :

Add 1-2 gm/10 litre of drinking water. Increase the dose in case of breakout.  
OR as directed by veterinarian.

## PRESENTATION :

50 GM, 200 GM, 500 GM & 1 KG



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



# PROTECTION B-30

## प्रोटेक्शन बी-30

Virucidal, Bactericidal & Fungicidal  
Disinfectant & Water Sanitizer

### COMPOSITION:

Cocobenzyl dimethyl

Ammonium chloride .....15ml/100ml

Glutaraldehyde ..... 15ml/100ml

Non-ionic detergents, Stabilizers and antioxidants

### INDICATIONS :

- ▲ Sanitizes drinking water.
- ▲ Exerts rapid and long lasting action.
- ▲ Reduces pathogen load in birds.
- ▲ In case of high organic burden or imminent disease threat consult your veterinarian for usage modifications.

**PRESENTATION :** 500 ML, 1 Litre & 5 Litres

### DOSAGES :

Application Area	Method	Dilution / Litre of Water
------------------	--------	---------------------------

FARM (LIVESTOCK/ Poultry)		
Vehicles	Spray including wheels	5 ml
Foot bath	Daily change	5 ml
Empty sheds	Spray with high pressure	5 ml
Livestock in shed	Spray in air towards ceiling	2 ml
Feeders & Drinkers	Mop daily after cleaning	7 ml
Feed room/stores	Spray	7 ml
White wash		1% Mix with the slurry of lime & apply to the poultry house.
Water sanitation	Add to drinking water	1-2 ml/ 10 litre of water.

HATCHERY		
Foot bath	Daily change	7 ml
All rooms of Hatchery	Spray & Mop	5 ml
Incubator/Hatcher	Spray & Mop	5 ml
Incubator tank	Add into the tank each time	5 ml
Hatching eggs	Spray using atomizer	5 ml
Soiled hatching eggs	Spray using atomizer	5 ml
Gunny cloth new	Dip, dry & use	5 ml
Setter trays	Dip after washing	5 ml
Hatchery trays	Dip after washing	7 ml
Wood wool	Spray after sun drying	7 ml
Waste drum	Spray after every use	7 ml



Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**  
Indore, Madhya Pradesh, India



Benison

# BIOSECURE

बायोसिक्योर

Virucidal, Bactericidal & Fungicidal  
Disinfectant

## COMPOSITION:

Benzalkonium Chloride ..... 7 ml/100 ml

Glutaraldehyde ..... 7 ml/100 ml

Formaldehyde ..... 7 ml/100 ml

## INDICATIONS :

Heavy duty Triple action disinfectant for livestock premises. Biosecure is an aldehyde containing disinfectant -cleaner-deodorizer suitable both for daily prophylactic disinfection and terminal disinfection with wide antimicrobial activity against bacteria, their spores, viruses and fungi.

**PRESENTATION :** 500 ML, 1 Litre & 5 Litres

Mfg. By & Mkt. By:

**BENISON FARM VET PVT LTD**

Indore, Madhya Pradesh, India



## DOSAGES :

Application Area	Method	Dilution/Litre of Water	HATCHERY		
FARM (LIVESTOCK/POULTRY)			Foot bath	Daly change	20 ml
Vehicles	Spray including wheels	10 ml	All rooms of Hatchery	Spray & Mop	10 ml
Foot bath	Daily change	10ml	Incubator / Hatchery	Spray & Mop	10 ml
Empty sheds	Spray with high pressure	10ml	Incubator tank	Add into the tank each time	10 ml
Livestock in shed	Spray in air towards ceiling	4ml	Hatching eggs	Spray using atomizer	10 ml
Feeders & Drinkers	Mop daily after cleaning	20ml	Soiled hatching eggs	Spray using atomizer	10 ml
Feed room/stores	Spray	20ml	Gunny cloth new	Dip dry & use	10 ml
White wash		1-2% Mix with the slurry of lime & apply to the poultry house.	Setter trays	Dip after washing	10 ml
			Hatchery trays	dip after washing	20 ml
			Wood wool	Spray after sun drying	20 ml
			Waste drum	Spray after every use	20 ml



Poultry Feed Supplement. Not for medicinal Use